



YAMAHA

Revs Your Heart



ELECTRIC CAR

- **RELIABLE**
- **EFFICIENT**
- **SUPERIOR**



QUALITY & STYLE

- Luxury Design
- Largest most Comfortable seats in the industry
- Automotive Style Dash



TECHNOLOGY

- Yamaha-built smart charger & Motor Control Unit for maximum efficiency
- Shock absorbing bumper for enhanced protection
- Independent front suspension



RELIABILITY

- Lowest Maintenance Cost in the Industry
- All India Service Network
- Spare Parts Backup

CLIMAGUARD TOP WITH DUAL GUTTERS



This top comes with a 360° double rain channel, clogproof downspouts and a wider, longer coverage area. You will stay dry. Keeping your ball dry is still up to you.

AUTOMOTIVE STYLE DASH



With four cup holders; a center storage area for wallets, cell phones, and personal items; six ball holders; six tee holders; and big, easy-to-clean storage compartments on each side, you may accidentally drive it home.

FOLD-DOWN CLEAR WINDSHIELD



With a contoured bottom designed to hug the front of the vehicle and seal out the element, these high impact clear and tinted windshields have a flexible rubber hinge that allows the windshield to smoothly fold and lock in place.

BEST FRONT & REAR BUMPERS IN THE INDUSTRY



You know and we know: things happen out there. So we made our bumpers with thicker walls and textured surfaces to withstand mishaps. They're the same height front and rear to minimize damage. They release air on impact; in fact, they're 5 mph rated.

LARGE COMFORTABLE ARMREST



Exactly how important is an armrest? Depends on whether it's done right. Ours is strong, made of steel-reinforced, glass filled polypropylene. It's larger and wider than previous models, but it doesn't interfere with entry or exit.

LARGEST, MOST COMFORTABLE SEAT IN THE INDUSTRY



Deep, supportive contours provide unmatched comfort. The widest seat in the industry is designed to accommodate occupants of different heights and sizes. Its made of pure, supple foam bonded to a seamless, durable vinyl backed cover and its polypropylene seat.

WHY YAMAHA



4 REASONS AT LEAST ...



LEADING THE INDUSTRY IN EVERYTHING WE DO

We just want to be the best at everything we do:
designing products, making products and servicing the customers
who buy our products



**YAMAHA PRODUCTS ARE RECOGNIZED THE WORLD OVER
FOR SUPERIOR QUALITY** in design, technology, craftsmanship
and customer-oriented services



**YAMAHA IS NUMBER ONE BRAND IN THE AUTOMOTIVE
INDUSTRY**



MOST COMPETITIVE PRICE, coupled with unparalleled
features, makes **YAMAHA THE BEST CHOICE FOR YOU**

NATION WIDE SERVICE NETWORK



YAMAHA 2 SEATER



TECHNICAL SPECIFICATIONS

Yamaha Battery Operated Car 2 Seater

Drive System	DC Shunt Wound Motor
Seating Capacity	2 Persons
Overall Length	94.3" (2395 Mm)
Overall Width	47.2" (1200 Mm)
OVERALL HEIGHT(With Sun top)	70.4" (1790 Mm)
OVERALL HEIGHT(Without Sun top)	46.9" (1200 Mm)
Wheel Base	64.6" (1640 Mm)
Front Wheel Tread	34.3" (870 Mm)
Rear Wheel Tread	38.6" (980 Mm)
Minimum Ground Clearance	4.3" (110 Mm)
Dry Weight	251 Kg
DRY WEIGHT(With Suntop)	276 Kg
DRY WEIGHT(With Batteries)	436 Kg
Batteries	GS BV 150Z 12 VOLT X 4 PCS
Voltage Rating	48 Volt
Output Rating	3.5 HP (2.6 Kw)
Charger	Stationery Constant Current Charger
Forward Speed	0 ~ 19 Km/H
Turning Radius	2.8 M
Brake System (Main)	Mechanical, 2 Rear Wheel
Parking Brake	Pedal Brake
Tire Size	18.00x8.50-8.00
Front Suspension	Strut Type
Rear Suspension	Mono - Linkage
Steering	Rack and Pinion
Windshield	Fold-Down Clear Windshield
Warranty	1 Year

YAMAHA 2 SEATER WITH CARGO BED



TECHNICAL SPECIFICATIONS

Yamaha Battery Operated Car 2 Seater with Cargo Bed

Drive System	DC Shunt Wound Motor
Seating Capacity	2 Persons
Overall Length	94.3" (2395 Mm)
Overall Width	47.2" (1200 Mm)
OVERALL HEIGHT(With Sun top)	70.4" (1790 Mm)
OVERALL HEIGHT(Without Sun top)	46.9" (1200 Mm)
Wheel Base	64.6" (1640 Mm)
Front Wheel Tread	34.3" (870 Mm)
Rear Wheel Tread	38.6" (980 Mm)
Minimum Ground Clearance	4.3" (110 Mm)
Dry Weight	251 Kg
DRY WEIGHT(With Suntop)	276 Kg
DRY WEIGHT(With Batteries)	436 Kg
Batteries	GS BV 150Z 12 VOLT X 4 PCS
Voltage Rating	48 Volt
Output Rating	3.5 HP (2.6 Kw)
Charger	Stationery Constant Current Charger
Forward Speed	0 ~ 19 Km/H
Turning Radius	2.8 M
Brake System (Main)	Mechanical, 2 Rear Wheel
Parking Brake	Pedal Brake
Tire Size	18.00x8.50-8.00
Front Suspension	Strut Type
Rear Suspension	Mono - Linkage
Steering	Rack And Pinion
Windshield	Fold-Down Clear Windshield
Cargo Box Capacity	Size: 40" x 32" x 10" (L X W X H) 113 Kgs
Warranty	1 Year

YAMAHA 4 SEATER

2 Forward and 2 Rear Facing Seats



TECHNICAL SPECIFICATIONS

Yamaha Battery Operated Car 4 Seater (2 Forward & 2 Rear Facing Seat)

Drive System	DC Shunt Wound Motor
Seating Capacity	4 Persons
Overall Length	106" (2700 Mm)
Overall Width	47.2" (1200 Mm)
OVERALL HEIGHT(With Sun top)	70.4" (1790 Mm)
OVERALL HEIGHT(Without Sun top)	46.9" (1200 Mm)
Wheel Base	64.6" (1640 Mm)
Front Wheel Tread	34.3" (870 Mm)
Rear Wheel Tread	38.6" (980 Mm)
Minimum Ground Clearance	4.3" (110 Mm)
Dry Weight	310 Kg
DRY WEIGHT(With Suntop)	335 Kg
DRY WEIGHT(With Batteries)	495 Kg
Batteries	GS BV 150Z 12 VOLT X 4 PCS
Voltage Rating	48 Volt
Output Rating	3.5 HP (2.6 Kw)
Charger	Stationery Constant Current Charger
Forward Speed	0 ~ 19 Km/H
Turning Radius	2.8 M
Brake System (Main)	Mechanical, 2 Rear Wheel
Parking Brake	Pedal Brake
Tire Size	18.00x8.50-8.00
Front Suspension	Strut Type
Rear Suspension	Mono - Linkage
Steering	Rack And Pinion
Windshield	Fold-Down Clear Windshield
Warranty	1 Year

YAMAHA 4 SEATER

All Forward Facing Seats



TECHNICAL SPECIFICATIONS

Yamaha Battery Operated Car 4 Seater (All Forward Facing Seat)

Drive System	DC Shunt Wound Motor
Seating Capacity	4 Persons
Overall Length	128" (3250 Mm)
Overall Width	47.2" (1200 Mm)
OVERALL HEIGHT(With Sun top)	70.4" (1790 Mm)
OVERALL HEIGHT(Without Sun top)	46.9" (1200 Mm)
Wheel Base	64.6" (1640 Mm)
Front Wheel Tread	34.3" (870 Mm)
Rear Wheel Tread	38.6" (980 Mm)
Minimum Ground Clearance	4.3" (110 Mm)
Dry Weight	320 Kg
DRY WEIGHT(With Suntop)	345 Kg
DRY WEIGHT(With Batteries)	505 Kg
Batteries	GS BV 150Z 12 VOLT X 4 PCS
Voltage Rating	48 Volt
Output Rating	3.5 HP (2.6 Kw)
Charger	Stationery Constant Current Charger
Forward Speed	0 ~ 19 Km/H
Turning Radius	4.24 M (13.9Ft)
Brake System (Main)	Mechanical, 2 Rear Wheel
Parking Brake	Pedal Brake
Tire Size	18.00x8.50-8.00
Front Suspension	Strut Type
Rear Suspension	Mono - Linkage
Steering	Rack And Pinion
Windshield	Fold-Down Clear Windshield
Includes	Yamaha Charger Power Cable, Head Light, Tail Light, Hub Cap, Side Reflectors, Horn
Warranty	1 Year



YAMAHA 4 SEATER WITH CARGO BED

TECHNICAL SPECIFICATIONS

Yamaha Battery Operated Car 4 Seater (All Forward Facing Seats) with Cargo Bed

Drive System	DC Shunt Wound Motor
Seating Capacity	4 Persons
Overall Length	128" (3250 Mm)
Overall Width	47.2" (1200 Mm)
OVERALL HEIGHT(With Sun top)	70.4" (1790 Mm)
OVERALL HEIGHT(Without Sun top)	46.9" (1200 Mm)
Wheel Base	64.6" (1640 Mm)
Front Wheel Tread	34.3" (870 Mm)
Rear Wheel Tread	38.6" (980 Mm)
Minimum Ground Clearance	4.3" (110 Mm)
Dry Weight	320 Kg
DRY WEIGHT(With Suntop)	345 Kg
DRY WEIGHT(With Batteries)	505 Kg
Batteries	GS BV 150Z 12 VOLT X 4 PCS
Voltage Rating	48 Volt
Output Rating	3.5 HP (2.6 Kw)
Charger	Stationery Constant Current Charger
Forward Speed	0 ~ 19 Km/H
Turning Radius	4.24 M (13.9Ft)
Brake System (Main)	Mechanical, 2 Rear Wheel
Parking Brake	Pedal Brake
Tire Size	18.00x8.50-8.00
Front Suspension	Strut Type
Rear Suspension	Mono - Linkage
Steering	Rack And Pinion
Windshield	Fold-Down Clear Windshield
Includes	Yamaha Charger Power Cable, Head Light, Tail Light, Hub Cap, Side Reflectors, Horn
Cargo Box Capacity	Size: 40" x 32" x 10" (L X W X H) 113 Kgs
Warranty	1 Year

YAMAHA 6 SEATER

4 Forward and 2 Rear Facing Seats



TECHNICAL SPECIFICATIONS

Yamaha Battery Operated Car 6 Seater (4 All Forward Facing & 2 Rear Facing Seats)

Drive System	DC Shunt Wound Motor
Seating Capacity	6 Persons (4+2)
Overall Length	144" (3657 Mm)
Overall Width	47.2" (1200 Mm)
OVERALL HEIGHT(With Sun top)	78.4" (1982 Mm)
OVERALL HEIGHT(Without Sun top)	46.9" (1200 Mm)
Wheel Base	64.6" (1640 Mm)
Front Wheel Tread	34.3" (870 Mm)
Rear Wheel Tread	38.6" (980 Mm)
Minimum Ground Clearance	4.3" (110 Mm)
Dry Weight	374 Kg
DRY WEIGHT(With Suntop)	405 Kg
DRY WEIGHT(With Batteries)	567 Kg
Batteries	GS BV 150Z 12 VOLT X 4 PCS
Voltage Rating	48 Volt
Output Rating	3.5 HP (2.6 Kw)
Charger	Stationery Constant Current Charger
Forward Speed	0 ~ 19 Km/H
Turning Radius	4.24 M (13.9Ft)
Brake System (Main)	Mechanical, 2 Rear Wheel
Parking Brake	Pedal Brake
Tire Size	18.00x8.50-8.00
Front Suspension	Strut Type
Rear Suspension	Mono - Linkage
Steering	Rack And Pinion
Windshield	Fold-Down Clear Windshield
Includes	Yamaha Charger Power Cable, Rear Facing Seat Kit, Head Light, Tail Light, Hub Cap, Side Reflectors, Horn
Warranty	1 Year

YAMAHA 6 SEATER

All Forward Facing Seats



TECHNICAL SPECIFICATIONS

Yamaha Battery Operated Car 6 Seater (All Forward Facing Seats)

Drive System	DC Shunt Wound Motor
Seating Capacity	6 Persons (All FF)
Overall Length	161.4" (4092 Mm)
Overall Width	47.2" (1200 Mm)
OVERALL HEIGHT(With Sun top)	70.4" (1790 Mm)
OVERALL HEIGHT(Without Sun top)	46.9" (1200 Mm)
Wheel Base	64.6" (1640 Mm)
Front Wheel Tread	34.3" (870 Mm)
Rear Wheel Tread	38.6" (980 Mm)
Minimum Ground Clearance	4.3" (110 Mm)
Dry Weight	395 Kg
DRY WEIGHT(With Suntop)	405 Kg
DRY WEIGHT(With Batteries)	567 Kg
Batteries	GS BV 150Z 12 VOLT X 4 PCS
Voltage Rating	48 Volt
Output Rating	3.5 HP (2.6 Kw)
Charger	Stationery Constant Current Charger
Forward Speed	0 ~ 19 Km/H
Turning Radius	4.24 M (13.9Ft)
Brake System (Main)	Mechanical, 2 Rear Wheel
Parking Brake	Pedal Brake
Tire Size	18.00x8.50-8.00
Front Suspension	Strut Type
Rear Suspension	Mono - Linkage
Steering	Rack And Pinion
Windshield	Fold-Down Clear Windshield
Includes	Yamaha Charger Power Cable, Head Light, Tail Light, Hub Cap, Side Reflectors, Horn
Warranty	1 Year

NATIONAL DISTRIBUTOR & SERVICE PROVIDER ALL OVER INDIA & SRI LANKA

Irrigation Products International (P) Ltd.

4/112, East Coast Road, Neelankarai, Chennai - 600 115, INDIA

☎ 044 - 24494387 / 389 ☎ Ms. Kanaga: 9381252255

✉ ipi@md5.vsnl.net.in / sales@ipi-india.com / kanaga@ipi-india.com

🌐 www.golfcart.net.in / www.ipi-india.com

